



Attorneys at Law

**RECEIVED**  
**CENTRAL FAX CENTER**
**SEP 02 2004**

 Suite 2800 1100 Peachtree St.  
 Atlanta GA 30309-4530  
 t 404 815 6500 f 404 815 6555  
 www.KilpatrickStockton.com

 direct dial 404 815 6102  
 direct fax 404 541 3454  
 EPolovnikova@KilpatrickStockton.com

September 2, 2004

**FAX**

RECIPIENT/ PHONE NO.	FAX NO.	COMPANY/ CITY, STATE, COUNTRY
Examiner Blessing Fubara Art Unit 1615 571-272-0594	703-872-9306	Commissioner for Patents Alexandria, Virginia

 Elena S. Polovnikova, Ph.D. - 3392  
 FROM

 47400-0100  
 REFERENCE NO

 3  
 PAGES (WITH COVER)

 47400-252658  
 CLIENT/MATTER NO.

**PLEASE CALL 404 815 6497 IF YOU HAVE DIFFICULTY WITH THIS TRANSMISSION.**
**CONFIDENTIALITY NOTE:**

The information contained in this fax message is being transmitted to and is intended for the use of the individual named above. If the reader of this message is not the intended recipient, you are hereby advised that any dissemination, distribution or copy of this fax is strictly prohibited. If you have received this fax in error, please immediately notify us by telephone and destroy this fax message.

**COMMENTS**

Applicants respectfully thank the Examiner for the telephone interview of August 25, 2004 and appreciate her comments.

The facsimile confirmation of the Patent Office imprinted hereon will acknowledge receipt of:

Application No: 09/653,406

Filed: September 1, 2000

Applicant: West, et al.

For: Nitric Oxide-Producing Hydrogel Materials

Papers Submitted: Request for Continued Examination; Petition for Extension of Time

Docket No.: 47400-0100 (47400-252658)

Date Faxed: September 2, 2004

**TO BE COMPLETED BY KS OPERATIONS CENTER**

TRANSMISSION RECEIPT DATE/TIME: \_\_\_\_\_

COMPLETED BY: \_\_\_\_\_

JOB CODE

80809

**BEST AVAILABLE COPY**

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**